

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier GHS Product Identifier Chemical Name Trade name CAS No. EINECS No.

Not applicable. Not applicable. Speed Degreaser Mixture Mixture

 1.2
 Relevant identified uses of the substance or mixture and uses advised against

 Identified use(s)
 Degreaser

 Uses advised against
 None.

1.3 Details of the supplier of the safety data sheet Company Identification

> Telephone Fax E-Mail (competent person)

Distributor

Telephone

1.4 Emergency telephone number Emergency Phone No. None. Finish Line Technologies, Inc. 50 Wireless Blvd. Hauppauge, NY 11788

USA

+1 (631) 666-7300 +1 (631) 666-7391 SDSinfo@finishlineusa.com

Madison Cycles 8 Stanmore Hill Stanmore, Middlesex, HA7 3BQ United Kingdom +44 870 034 7226

Medical Emergency: PROSAR 24 hr: 1-800-217-5157 / 1-651-523-0304

Transportation Emergency: CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture Regulation (EC) No. 1272/2008 (CLP).
- 2.2 Label elements Hazard Symbol

Signal word(s)

Hazard statement(s)

Flam. Aerosol 1; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Chronic 3



H222: Extremely flammable aerosol.

- H229: Pressurised container: May burst if heated.
- H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H412: Harmful to aquatic life with long lasting effects.



Precautionary statement(s)

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Pressurized container: Do not pierce or burn, even after use.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331: Do NOT induce vomiting.

P410+P412: Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.

P102: Keep out of reach of children.

None

2.3 Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Regulation (EC) No. 1272/2008 (CLP).

Hazardous ingredient(s)	%W/W	EC No. and CAS#	According to Regulation (EC) No. 1272/2008 (CLP)
Heptane, branched, cylic and linear	40-60	None 426260-76-6	Flam. Liq. 2; H225 Asp. Tox. 1;H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 3; H412
Acetone	15-20	200-662-2 67-64-1	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336
Propane	10-15	200-827-9 74-98-6	Flam. Gas 1, H220 Press. Gas (*)
Ethanol	5-10	200-578-6 64-17-5	Flam. Liq. 2; H225
1-methoxy-2-propanol monopropylene glycol methyl ether	4-8	203-539-1 107-98-2	Flam. Liq. 3; H226 STOT SE 3; H336
Carbon dioxide	3-6	204-696-9 124-38-9	Press. Gas (*); H280

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures Inhalation

Skin Contact

Eye Contact

Move person to fresh air. If breathing is laboured, administer oxygen. If symptoms develop, obtain medical attention.

Wash affected skin with soap and water. If symptoms develop, obtain medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If symptoms occur obtain medical attention.

dizziness.

None



Ingestion

Do not give anything by mouth to an unconscious person. Seek medical treatment.

Will cause skin irritation. Vapours may cause drowsiness and

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of the immediate medical attention and special treatment needed

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media -Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or waterspray. -Unsuitable Extinguishing Media Do not use water jet. 5.2 Special hazards arising from the substance or Highly flammable vapour (flash point below 23°C). mixture A self contained breathing apparatus and suitable protective 5.3 Advice for fire-fighters clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only. Avoid breathing spray.
6.2	Environmental precautions	Prevent substance entering sewers.
6.3	Methods and material for containment and cleaning up	Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.
6.4	Reference to other sections	None

6.4 Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only.

7.2 Conditions for safe storage, including any incompatibilities

-Storage Temperature

-Incompatible materials

Keep container in a well-ventilated place. Store at temperatures not exceeding 38°C/100°F. None Degreaser

7.3 Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

8.1.1 **Occupational Exposure Limits**

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Heptane, branched, cylic and linear	426260-76-6		1800			UK - EH40
n-Heptane	142-82-5	500	2085			EU - IOEL
Acetone	67-64-1	500	1210	1500	3620	UK-EH40
Ethanol	64-17-5	1000	1920			UK - EH40



Biolo	ogical limit value					
Limit value type (country of origin) SUBS		SUBSTANCE.	CAS No.	Biological limit value	Note:	
(0)	None known None			None	None	
8.1.2	Recommended monitoring method		UK HSE Method 96 (n-Heptane, Acetone & Ethanoll)			
8.2	Exposure control	s				
8.2.1	Appropriate engineering controls		Use only with adequate ventilation to keep exposures (airborne levels of dust, fume, vapour etc) below recommended exposure limits.			
8.2.2	Personal protection	on equipment		•		
	Eye/face protectior	า		Wear protective eyewear (goggles, face shield, or safety		
				glasses).		
	Skin protection (Hand protection/ Other)		Wear suitable gloves if rubber)	prolonged skin contact is likely (Nitrile		
		Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment.				
	Thermal hazards			Not normally required.		
8.2.3	Environmental Ex	posure Controls		None assigned.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties					
	Appearance	Liquid				
	Colour	Colourless				
	Odour	Lemon				
	Odour Threshold (ppm)	Not available				
	pH (Value)	Not available				
	Melting Point (°C) / Freezing Point (°C)	Not available				
	Boiling point/boiling range (°C):	Not available				
	Flash Point (°C)	-104 (Propane)				
	Evaporation rate	Not available				
	Flammability (solid, gas)	Extremely flammable				
	Explosive limit ranges	2.1% - 9.5% v/v (Propane)				
	Vapour Pressure (Pascal)	ca. 95 x 10 ⁴ (Propane)				
	Vapour Density (Air=1)	ca. 1.56 @ 0ºC (Propane)				
	Density (g/ml)	Not available				
	Solubility (Water)	Not available				
	Solubility (Other)	Not available				
	Partition Coefficient (n-Octanol/water)	Not available				
	Auto Ignition Temperature (°C)	450 (Propane)				
	Decomposition Temperature (°C)	Not available				
	Viscosity(cP)	<20				
	Explosive properties	Not explosive.				
	Oxidising properties	Not oxidising.				
9.2	Other information	Not available				



SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

- 11.1.1 Substances
 - Not applicable

11.1.2 Mixtures

Acute toxicity	Not available
Skin corrosion/irritation	Not available
Serious eye damage/irritation	Not available
Respiratory or skin sensitization	Not available
Germ cell mutagenicity	Not available
Carcinogenicity	Not available
Reproductive toxicity	Not available
STOT - single exposure	Not available
STOT - repeated exposure	Not available
Aspiration hazard	Not available

11.1.3 Substances in preparations / mixtures

Heptane, branched, cylic and linear	(CAS# 426260-76-6) - By analogy with similar materials:
Acute toxicity	Oral: LD50 >5 g/kg-bw
	Dermal: LD50 >2 g/kg-bw

or cracking.

May cause eye irritation.

It is not a skin sensitiser.

May cause drowsiness or dizziness.

Not to be expected.

Not to be expected. Not to be expected.

Not to be expected.

Not to be expected.

Not to be expected.

Not to be expected.

Not to be expected.

Not to be expected.

Not to be expected.

Not to be expected.

It is not a skin sensitiser.

Skin corrosion/irritation

Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure

STOT - repeated exposure

Aspiration hazard

Propane (CAS# 74-98-6): Acute toxicity Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure

Aspiration hazard

Stable under normal conditions. Stable. None anticipated. Avoid contact with heat and ignition sources. Strong Acids. None known

Inhalation: LC50 = 65 - 103 mg/L (Vapour), 4-hr. rat

Causes skin irritation. Repeated exposure may cause skin dryness

- NOAEC: 12350 mg/m3 (2 yr, inhal., rat, Systemic effects) - LOAEC: 1650 mg/m3 (2 hr, inhal., rat, CNS effects)

Aspiration of droplets may cause pulmonary oedema.

- NOAEC: ≥19678 mg/m3 (28-day, rat, Systemic effects) - LOAEC: 21641 mg/m3 (28-day, rat, effects: Body weight)

Aspiration of droplets may cause pulmonary oedema.

Inhalation: LC50 = 1237 mg/L (2-hr, mouse, gas)



Acetone (CAS# 67-64-1): Acute toxicity

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Oral: LD50 = 5.8 g/kg (rat) Dermal: LD50 > 9.4 ml/kg (rabbit) 24 hour(s) Not to be expected. Irritating to eyes. It is not a skin sensitiser. There is no evidence of mutagenic potential. It is unlikely to present a carcinogenic hazard to man. Not to be expected. May cause drowsiness or dizziness. Not to be expected. Not available None known.

EL50 (48 hour): 3 mg/l (*Daphnia magna*, mobility) EC50 (96 hour): 13 mg/l (*Pseudokirchnerella subcapitata*)

NOELR (28 days) 1.5 mg/l (Fish) QSAR

Readily biodegradable.

NOEL (96 hour) 6.3 mg/l (Algae)

None known.

LOEC (21 days): 0.32 mg/l (Daphnia magna)

Not classified as PBT or vPvB.

11.2 Other information

SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.1.1 Substances in preparations / mixtures

 Heptane, branched, cylic and linear (CAS# 426260-76-6) - By analogy with similar materials:

 Short term

 LL50 (96 hour): >13.4 mg/L (Oncorhynchus mykiss)

ong Torm

Long Term

- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and vPvB assessment
- 12.6 Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal should be in accordance with local, state or national legislation.Consult an accredited waste disposal contractor or the local authority for advice.

The product has low potential for bioaccumulation.

The product is predicted to have high mobility in soil.

SECTION 14: TRANSPORT INFORMATION

		Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
14.1	UN number	1950	1950	1950
14.2	Proper Shipping Name	Aerosols	Aerosols	Aerosols
14.3	Transport hazard class(es)	2.1	2	2.1
14.4	Packing Group	Not applicable	Not applicable	Not applicable
14.5	Environmental hazards	None assigned	None assigned	None assigned
14.6	Special precautions for user	None assigned	None assigned	None assigned

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1 EU regulations Listed Regulation (EC) 2037/2000 - Dangerous to the ozone layer. No. Regulation (EC) 850/2004 - Persistent Organic Pollutants No. Regulation (EC) 689/2008 - Export/Import of Dangerous Chemicals No.



Regulation (EC) 1907/2006 - REACH Authorisations and/or restrictions on use

15.1.2 National regulations

15.2 Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Hazard statement(s) and Precautionary statement(s):

- H220: Extremely flammable gas.
- H225: Highly flammable liquid and vapour.
- H226: Flammable liquid and vapour.
- H280: Contains gas under pressure; may explode if heated.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H336: May cause drowsiness or dizziness.
- H412: Harmful to aquatic life with long lasting effects.

GHS Classification

- Flam. Aerosol 1: Extremely flammable aerosol. Category 1
- Asp. Tox. 1: Aspiration hazard Category 1
- Skin Irrit. 2; Skin corrosion/irritation Category 2
- STOT SE 3; Specific target organ toxicity single exposure Category 3
- Aquatic Chronic 3; Chronic aquatic toxicity, Category 3

Training advice: None.

Additional Information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Not established.

Not applicable